



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 10
1200 Sixth Avenue
Seattle, Washington 98101
November 4, 1994

RECEIVED

JUN 12 1998

RCRA Compliance Section

WAD 2917
H2W 6.3,2
BEI-Pier 91
11/4/94
8b

Reply To
Attn. Of: HW-106

John Stiller
Project Coordinator
Burlington Environmental Inc.
955 Powell Avenue, SW
Renton, Washington 98055-2108



FILE COPY

Re: Pier 91 Facility, EPA Identification No. WAD 00081 2917
RFI Report Comments

Dear Mr. Stiller:

Enclosed are the U.S. Environmental Protection Agency's (EPA) comments on Burlington Environmental Inc.'s (BEI) RCRA Facility Investigation (RFI) Draft Report for the Pier 91 facility. BEI must submit responses to EPA's comments within sixty (60) days of receipt of this letter. BEI's response may be in the form of revised pages to the draft report or a new, final report.

If you have any questions, please contact Christy Brown (553-8506) who will be managing EPA oversight of corrective action at Pier 91.

Sincerely,

David Croxton

David Croxton
Environmental Scientist

Enclosure

cc: G. Tritt, Ecology-NWRO
C. Brown, RCRA Permits
D. Hotchkiss, Port of Seattle

